SEQUENCE LISTING

```
<110> Mixture Sciences, Inc.
The Government of the United States of America, as Represented by the Secretary, Department of Health and Human Services Houghten, Richard A.
Pinilla, Clemencia
Martin, Roland
Sturzebecker, Claus Staffer
        Sturzebecher, Claus-Steffen
        Shukaliak-Quandt, Jaqueline McFarland, Henry F.
<120> PEPTIDE MIXTURES WITH IMMUNOMODULATORY
  ACTIVITY
<130> MCI.003NP
<140> US 10/587,987
<141> 2005-02-02
<150> PCT/US2005/002962
<151> 2005-02-02
<150> 60/541,397
<151> 2004-02-02
<160> 56
<170> FastSEQ for Windows Version 4.0
<210> 1
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Artificial Peptide
<220>
<221> VARIANT
<222> 1
<223> Xaa = F or W
<220>
<221> VARIANT
<222> 2
<223> Xaa = E or F
<220>
<221> VARIANT
<222> 3
<223> Xaa = E or K
<220>
<221> VARIANT
<222> 4
<223> Xaa = A, E or K
<220>
<221> VARIANT
```

```
<222> 5
<223> Xaa = A, K or Y
<220>
<221> VARIANT
<222> (6)...(7)
<223> Xaa = A, N or Y
<220>
<221> VARIANT
<222> (8)...(8)
<223> Xaa = A, I, N or V
<220>
<221> VARIANT
<222> (9)...(9)
<223> Xaa = A, S or V
<400> 1
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Tyr
<210> 2
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide
<220>
<221> VARIANT <222> 1
<223> Xaa = E, F, W or Y
<220>
<221> VARIANT <222> 2
<223> Xaa = E, F, I, V, W or Y
<220>
<221> VARIANT
<222> 3
<223> Xaa = E, F, K or Q
<220>
<221> VARIANT
<222> 4
<223> Xaa = A, E, K or Q
<220>
<221> VARIANT <222> 5
<223> Xaa = A, K, Q or Y
<220>
<221> VARIANT
```

```
<222> (6)...(6)
<223> Xaa = A, N, Q or Y
<220>
<221> VARIANT
<222> (7)...(7)
<223> Xaa = A, G, N, S or Y
<220>
<221> VARIANT
<222> (8)...(8)
<223> Xaa = A, G, I, N, S or V
<220>
<221> VARIANT
<222> (9)...(9)
<223> Xaa = A, I, Q, S or V
<220>
<221> VARIANT
<222> (10)...(10)
<223> Xaa = I, K, R, S, V or Y
<400> 2
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 3
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide
Glu Tyr Tyr Lys Glu Tyr Tyr Lys Glu Tyr Tyr Lys
<210> 4
<211> 18
<212> PRT
<213> Artificial Sequence
<223> PLP 89-106
<400> 4
Gly Phe Tyr Thr Thr Gly Ala Val Arg Gln Ile Phe Gly Asp Tyr Lys
10 15
Thr Thr
<210> 5
<211> 16
<212> PRT
```

```
MSCI003NP.TXT
<213> Artificial Sequence
<220>
<223> PLP 139-154
<400> 5
His Cys Leu Gly Lys Trp Leu Gly His Pro Asp Lys Phe Val Gly Ile 1 	 5 	 10 	 15
<210> 6
<211> 20
<212> PRT
<213> Artificial Sequence
<220>
<223> PLP 178-197
<400> 6
Asn Thr Trp Thr Thr Cys Gln Ser Ile Ala Phe Pro Ser Lys Thr Ser
Ala Ser Ile Gly
<210> 7
<211> 20
<212> PRT
<213> Artificial Sequence
<220>
<223> PLP 190-209
<400> 7
Ser Lys Thr Ser Ala Ser Ile Gly Ser Leu Cys Ala Asp Ala Arg Met
Tyr Gly Val Leu
<210> 8
<211> 20
<212> PRT
<213> Artificial Sequence
<220>
<223> MBP 13-32
<400> 8
Lys Tyr Leu Ala Thr Ala Ser Thr Met Asp His Ala Arg His Gly Phe
Leu Pro Arg His
```

```
<210> 9
<211> 17
<212> PRT
<213> Artificial Sequence
<220>
<223> MBP 83-99
```

```
MSCI003NP.TXT
```

```
<400> 9
Glu Asn Pro Val Val His Phe Phe Lys Asn Ile Val Thr Pro Arg Thr 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
Pro
<210> 10
<211> 19
<212> PRT
<213> Artificial Sequence
<220>
<223> MBP 111-129
<400> 10
Leu Ser Arg Phe Ser Trp Gly Ala Glu Gly Gln Arg Pro Gly Phe Gly 1 5 10 15
Tyr Gly Gly
<210> 11
<211> 25
<212> PRT
<213> Artificial Sequence
<220>
<223> MBP 131-155
<400> 11
Ala Ser Asp Tyr Lys Ser Ala His Lys Gly Leu Lys Gly Val Asp Ala 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
Gin Gly Thr Leu Ser Lys Ile Phe Lys
<210> 12
<211> 21
<212> PRT
<213> Artificial Sequence
<220>
<223> MBP 146-170
<400> 12
A]a Gln Gly Thr Leu Ser Lys Ile Phe Lys Leu Gly Gly Arg Asp Ser
Arg Ser Gly Ser Pro
              20
<210> 13
<211> 20
<212> PRT
<213> Artificial Sequence
<220>
<223> MOG 1-20
<400> 13
Cys Gln Phe Arg Val Ile Gly Pro Arg His Pro Ile Arg Ala Leu Val
                                               Page 5
```

```
Gly Asp Glu Val
<210> 14
<211> 20
<212> PRT
<213> Artificial Sequence
<220>
<223> MOG 11-30
<400> 14
Pro Ile Arg Ala Leu Val Gly Asp Glu Val Glu Leu Pro Cys Arg Ile
Ser Pro Gly Lys
<210> 15
<211> 20
<212> PRT
<213> Artificial Sequence
<220>
<223> MOG 21-40
<400> 15
Gļu Leu Pro Cys Arg Ile Ser Pro Gly Lys Asn Ala Thr Gly Met Glu
Val Gly Trp Tyr
<210> 16
<211> 21
<212> PRT
<213> Artificial Sequence
<220>
<223> MOG 35-55
<400> 16
Met Glu Val Gly Trp Tyr Arg Pro Pro Phe Ser Arg Val Val His Leu
Tyr Arg Asn Gly Lys
<210> 17
<211> 31
<212> PRT
<213> Artificial Sequence
<220>
<223> CNPase 343-373
<400> 17
G]u Val Gly Glu Leu Ser Arg Gly Lys Leu Tyr Ser Leu Gly Asn Gly
                                       10
Arg Trp Met Leu Thr Leu Ala Lys Asn Met Glu Val Arg Ala Ile
             20
```

```
<210> 18
<211> 33
<212> PRT
<213> Artificial Sequence
<220>
<223> CNPase 356-388
<400> 18
Gly Asn Gly Arg Trp Met Leu Thr Leu Ala Lys Asn Met Glu Val Arg
Ala Ile Phe Thr Gly Tyr Tyr Gly Lys Gly Lys Pro Val Pro Thr Gln
Gly
<210> 19
<211> 19
<212> PRT
<213> Artificial Sequence
<220>
<223> MOBP 21-39
<400> 19
Phe Ser Ile His Cys Cys Pro Pro Phe Thr Phe Asn Asn Ser Lys Lys 1 15
Glu Ile Val
<210> 20
<211> 19
<212> PRT
<213> Artificial Sequence
<220>
<223> MOBP 31-49
<400> 20
Phe Leu Asn Ser Lys Lys Glu Ile Val Asp Arg Lys Tyr Ser Ile Cys 1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15
Lys Ser Gly
<210> 21
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> PLP 139-151
<400> 21
His Ser Leu Gly Lys Trp Leu Gly His Pro Asp Lys Phe 1 \hspace{1cm} 5 \hspace{1cm} 10
<210> 22
<211> 10
```

```
MSCI003NP.TXT
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY-10
<221> VARIANT
<222> (1)...(10)
<223> Xaa = A, E, K or Y
<400> 22
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 23
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY-12
<220>
<221> VARIANT
<222> (1)...(12)
<223> Xaa = A, E, K or Y
<400> 23
<210> 24
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223> Artificial Peptide AEKY-15
<220>
<221> VARIANT
<222> (1)...(15)
<223> Xaa = A, E, K or Y
<400> 24
<210> 25
<211> 20
<212> PRT
<213> Artificial Sequence
```

<223> Artificial Peptide AEKY-20

<220>

<221> VARIANT <222> (1)...(20)

Page 8

```
<223> Xaa = A, E, K or Y
<400> 25
xaa xaa xaa xaa
<210> 26
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY-10-DR2a
<220>
<221> VARIANT <222> 1
<223> Xaa = F, L, M or Y
<220>
<221> VARIANT <222> 2-3, 5-8, 10
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 4
<223> Xaa = I, M, Q or V
<220>
<221> VARIANT
<222> 9
<223> Xaa = K or R
<400> 26
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 27
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY-10-DR2b
<220>
<221> VARIANT
<222> 1
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 2-3, 5-6, 8-10
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 4
```

```
<223> Xaa = I, M, Q or V
<220>
<221> VARIANT
<222> 7
<223> Xaa = F, I, L, M or V
<400> 27
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 28
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide GA TCC-1-10
<220>
<221> VARIANT
<222> 1
<223> Xaa = F or W
<220>
<221> VARIANT <222> 2
\langle 223 \rangle Xaa = E or F
<220>
<221> VARIANT <222> 3
<223> Xaa = E or K
<220>
<221> VARIANT
<222> 4
<223> Xaa = A, E or K
<220>
<221> VARIANT
<222> 5
<223> Xaa = A, K or Y
<220>
<221> VARIANT
<222> (6)...(7)
<223> Xaa = A, N or Y
<220>
<221> VARIANT
<222> (8)...(8)
<223> Xaa = A, I, N or V
<220>
<221> VARIANT
<222> (9)...(9)
<223> Xaa = A, S or V
```

```
<400> 28
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Tyr
<210> 29
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide GA TCC-2-10
<221> VARIANT <222> 1
<223> Xaa = E, F, W or Y
<220>
<221> VARIANT
<222> 2
<223> Xaa = E, F, I, V, W or Y
<220>
<221> VARIANT
<222> 3
<223> Xaa = E, F, K or Q
<220>
<221> VARIANT
<222> 4
<223> Xaa = A, E, K or Q
<220>
<221> VARIANT <222> 5
<223> Xaa = A, K, Q or Y
<220>
<221> VARIANT
<222> (6)...(6)
<223> Xaa = A, N, Q or Y
<220>
<221> VARIANT
<222> (7)...(7)
<223> Xaa = A, G, N, S or Y
<220>
<221> VARIANT
<222> (8)...(8)
<223> Xaa = A, G, I, N, S or V
<220>
<221> VARIANT
<222> (9)...(9)
<223> Xaa = A, I, Q, S or V
```

```
<220>
<221> VARIANT
<222> (10)...(10)
<223> Xaa = I, K, R, S, V or Y
<400> 29
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 30
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide 19a.a.-10-IAs
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, C, D, E, F, G, H, I, K, L, M, N, P, Q, R,
      T, V, W or Y
<220>
<221> VARIANT
<222> 5
<223> Xaa = K, H, R or V
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT <222> 10
\langle 223 \rangle Xaa = P or I
<400> 30
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 31
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY-10-IAs
<220>
<221> VARIANT
<222> 1-4, 6, 9
```

```
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 5
<223> Xaa = K, H, R or V
<220>
<221> VARIANT <222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT
<222> 10
<223> Xaa = P or I
<400> 31
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 32
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY-10-IAs-mis
<220>
<221> VARIANT <222> 1
<223> Xaa = P or I
<220>
<221> VARIANT
<222> 2
<223> Xaa = H, R or K
<220>
<221> VARIANT
<222> 3
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 4
<223> Xaa = K, H, R or V
<220>
<221> VARIANT
<222> 5-10
<223> Xaa = A, E, K or Y
<400> 32
```

```
MSCI003NP.TXT
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 33
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide 19 a.a.-10
<221> VARIANT <222> (1)...(10)
<223> Xaa = A, C, D, E, F, G, H, I, K, L, M, N, P, Q, R, T, V, W or Y
<400> 33
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 34
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAS
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT
<222> 10
<223> Xaa = P or I
<400> 34
Xaa Xaa Xaa Xaa Ala Xaa Xaa Xaa Xaa
<210> 35
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAs
                                          Page 14
```

```
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT <222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT <222> 10
<223> Xaa = P or I
<400> 35
Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa 10
<210> 36
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAS
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT <222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT <222> 10
<223> Xaa = P or I
<400> 36
Xaa Xaa Xaa Xaa Asp Xaa Xaa Xaa Xaa 10
<210> 37
<211> 10
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Artificial Peptide AEKY10-IAs
<221> VARIANT <222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT
<222> 10
<223> Xaa = P or I
<400> 37
Xaa Xaa Xaa Xaa Glu Xaa Xaa Xaa Xaa
<210> 38
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAS
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT <222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT <222> 10
<223> Xaa = P or I
<400> 38
Xaa Xaa Xaa Xaa Phe Xaa Xaa Xaa Xaa
```

```
MSCI003NP.TXT
```

```
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAs
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT <222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT <222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT
<222> 10
<223> Xaa = P or I
<400> 39
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 40
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Artificial Peptide AEKY10-IAs
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT
<222> 10
<223> Xaa = P or I
<400> 40
Xaa Xaa Xaa His Xaa Xaa Xaa Xaa Xaa
                                           Page 17
```

```
<210> 41
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Artificial Peptide AEKY10-IAs
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT <222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT <222> 10
<223> Xaa = P or I
<400> 41
Xaa Xaa Xaa Ile Xaa Xaa Xaa Xaa Xaa
<210> 42
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAs
<220>
<221° VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT <222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT
<222> 10
<223> Xaa = P or I
```

```
<400> 42
Xaa Xaa Xaa Xaa Lys Xaa Xaa Xaa Xaa 1 10
<210> 43
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAS
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT <222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT
<222> 10
<223> Xaa = P or I
<400> 43
Xaa Xaa Xaa Leu Xaa Xaa Xaa Xaa
<210> 44
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Artificial Peptide AEKY10-IAs
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT
```

```
<222> 10
<223> Xaa = P or I
<400> 44
Xaa Xaa Xaa Xaa Met Xaa Xaa Xaa Xaa
<210> 45
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAS
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT <222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT <222> 10
<223> Xaa = P or I
Xaa Xaa Xaa Xaa Asn Xaa Xaa Xaa Xaa
<210> 46
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAs
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
```

```
<220>
<221> VARIANT
<222> 10
<223> Xaa = P or I
<400> 46
Xaa Xaa Xaa Xaa Pro Xaa Xaa Xaa Xaa
<210> 47
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Artificial Peptide AEKY10-IAS
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT
<222> 10
<223> Xaa = P or I
<400> 47
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 48
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAs
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<220>
```

```
<221> VARIANT <222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT <222> 10
<223> Xaa = P or I
<400> 48
Xaa Xaa Xaa Xaa Arg Xaa Xaa Xaa Xaa
<210> 49
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAs
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT <222> 10
<223> Xaa = P or I
<400> 49
Xaa Xaa Xaa Xaa Ser Xaa Xaa Xaa Xaa
<210> 50
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAs
<220>
<221> VARIANT <222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT <222> 7
```

```
<223> Xaa = I, L or V
<220>
<221> VARIANT <222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT
<222> 10
<223> Xaa = P or I
<400> 50
Xaa Xaa Xaa Xaa Thr Xaa Xaa Xaa Xaa
<210> 51
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Artificial Peptide AEKY10-IAs
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT <222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT <222> 10
<223> Xaa = P or I
<400> 51
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 52
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAs
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
```

```
<220>
<221> VARIANT <222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT <222> 8
<223> Xaa = H, R or K
<221> VARIANT <222> 10
<223> Xaa = P or I
<400> 52
Xaa Xaa Xaa Xaa Xrp Xaa Xaa Xaa Xaa
<210> 53
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAS
<220>
<221> VARIANT
<222> 1-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT <222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT <222> 10
<223> Xaa = P or I
<400> 53
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa 1
<210> 54
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Artificial Peptide AEKY10-IAS
<221> VARIANT
```

```
<222> 2-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 5
<223> Xaa = K, H, R or V
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT
<222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT <222> 10
<223> Xaa = P or I
<400> 54
Ala Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 55
<211> 10
<212> PRT
<213> Artificial Sequence
<223> Artificial Peptide AEKY10-IAs
<220>
<221> VARIANT
<222> 2-4, 6, 9
<223> Xaa = A, E, K or Y
<220>
<221> VARIANT
<222> 5
<223> Xaa = K, H, R or V
<220>
<221> VARIANT
<222> 7
<223> Xaa = I, L or V
<220>
<221> VARIANT <222> 8
<223> Xaa = H, R or K
<220>
<221> VARIANT <222> 10
<223> Xaa = P or I
```

- <210> 56 <211> 10 <212> PRT <213> Artificial Sequence <220> <223> Artificial Peptide AEKY10-IAS <220> <221> VARIANT <222> 2-4, 6, 9 <223> Xaa = A, E, K or Y
- <223> Xaa = A, E, K or Y <220> <221> VARIANT <222> 5
- <223> Xaa = K, H, R or V <220>
- <221> VARIANT <222> 7 <223> Xaa = I, L or V <220>
- <220>
 <221> VARIANT
 <222> 8
 <223> Xaa = H, R or K
- <220>
 <221> VARIANT
 <222> 10
 <223> Xaa = P or I

 <400> 56
 Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa 1